



普傑國際股份有限公司

PROFESSOR TECHNOLOGY CO., LTD.

PRODUCT SPECIFICATION

產品承認書

Customer: _____

Product Name: **5.1 Channel Surround Headphone.**

Model No: **CP5.1-VCD/DVD**

Production Region: **China**

Version: **English**

Customer Approval Stamp.

Date: ___ / ___ / ___.

Contact Info: Jimmy Chan
+886-3-4551081 ext:209
jimmychan@professor.com.tw
jack@professor.com.tw

Model No:

CP5.1-VCD/DVD

Date:

30/Nov/2004

Checked by:

Approved by:

PROFESSOR TECHNOLOGY CO., LTD.

5F, No.25-1, JiLin Rd., Chung-Li Industrial Park, Taoyuan 320, Taiwan.

TEL :+886-3-4551081 FAX :+886-3-4553913

Specification 規格

	Part	Description	Qty.
1.	Driver	Front: 27mm Dynamic Speaker 32 Ohm 150mW Rear: 27mm Dynamic Speaker 32 Ohm 150mW Center: 27mm Dynamic Speaker 32 Ohm 100mW Bass: 30mm Dynamic Speaker 24 Ohm 15mW	2 2 2 2
2.	Headphone type	Closed Air type.	
3.	Cable & Connector	Cord Length: 350 cm Connector: RCA plug (Red---Front right) RCA plug (White--Front left) RCA plug (Red---Rear right) RCA plug (White-Rear left) RCA plug (Red---Subwoofer) RCA plug (White-Center)	1 1 1 1 1 1
4.	Weight	Gross Weight: 600 g (include accessories and package) Net Weight: 406 g (only headphone)	
5.	Package type	Blister	1

Cosmetic List
外觀圖清單




1. Headphone
2. RCA plug (Red----Front right)
3. RCA plug (White-Front left)
4. RCA plug (Red---Rear right)
5. RCA plug (White-Rear left)
6. RCA plug (Red---Subwoofer)
7. RCA plug (White-Center)

Acoustic Characteristic 音響特性


	Characteristic	Front Speaker	Rear Speaker	Center Speaker	Bass Speaker
1.	Frequency Range	20Hz~20kHz	20Hz~20kHz	20Hz~20kHz	20Hz~3kHz
2.	Sensitivity	97± 3dB	97± 3dB	97± 3dB	121± 3dB
3.	Speaker Type & Size	∅27mm Dynamic	∅27mm Dynamic	∅27mm Dynamic	∅30mm Dynamic
4.	Normal Impedance	32Ω	32Ω	32Ω	24Ω
5.	Output Power	150mW	150mW	100mW	15mW (max 100mW)

Speaker
Frequency Response
頻率響應圖


Speaker: Front & Rear Model: CP5.1 GAME
Voltage applied for F.R.: 0.178V
Measure distance: 0.01m



Speaker: **Center** Model: CP5.1 GAME
Voltage applied for F.R. = 0.126V
Measure distance: 0.01m



Speaker: **Bass** Model: CP5.1 GAME
Voltage applied for F.R.=0.155V
Measure distance: 0.01m



**Packaging
包裝**

FRONT VIEW



BACK VIEW



303 mm ± 2


260 mm ± 2

Side View



110 mm ± 2

Packaging Construction 包裝方法示意圖



Carton Packaging Construction 外箱包裝

